

HubSpot Integration

What the AI can do

Summary

HubSpot Integration connects **HubSpot Meetings + CRM** with **Newo Platform**.

It currently supports:

- checking appointment availability from a HubSpot meeting link
- creating bookings with contact lookup / contact creation in HubSpot CRM
- cancelling existing meetings by exact booking datetime
- existing customer lookup by phone/email with prompt injection
- storing upcoming bookings in persona data
- optional outbound conversation note sync after phone sessions
- optional default canvas seeding for booking and cancellation scenarios

This integration is designed for **service businesses and sales teams** that use a single HubSpot meeting link and want an AI agent to handle appointment availability, booking, and cancellation through chat or voice.

Common use cases

- When a customer asks about available times -> the agent checks HubSpot meeting-link availability and returns free slots
- When a customer wants to book an appointment -> the agent finds or creates a HubSpot contact and submits the booking
- When a customer wants to cancel an appointment -> the agent finds the matching HubSpot meeting by start time and deletes it
- When the platform detects a caller's phone number -> the integration looks up the existing HubSpot contact and injects customer context
- When a future meeting exists for that contact -> the integration stores it in persona `bookings`
- When an outbound phone session ends -> the integration can write a HubSpot note with transcript/summary

Features at a glance

Feature	Supported	Notes
Check Availability	✓	Uses HubSpot meeting-link booking endpoint
Book Appointment	✓	Searches contact by email, creates contact if missing, then books
Cancel Appointment	✓	Finds meeting by exact start datetime, then deletes it
Existing Client Detection	✓	Searches HubSpot contacts by phone/email
Existing Booking Storage	✓	Saves future meetings into persona bookings
Silent Availability Preload	✓	<code>session_started</code> can trigger a silent availability check
Outbound Conversation Note Sync	✓	Only for Outgoing Phone sessions and when enabled

Canvas Auto Setup	✓	Seeds default booking/cancellation scenarios when enabled
Multi-Calendar / Multi-Slug	✗	Single hubspot_slug_name
Native Reschedule Flow	✗	Use cancel + rebook flow
Deal / Pipeline Automation	✗	Not implemented in current agent flows

Before You Start

Before setup:

- active **HubSpot** account
- **HubSpot Meetings** enabled
- one working **meeting link slug**
- either:
 - one **OAuth authorization code** from the Newo-provided HubSpot auth link
 - or one **HubSpot Service Key** (PAT-style token) with the scopes your booking flows require
- correct business timezone

Current setup supports **two authentication modes**:

- OAuth
- Token

Setup

Create the Newo project

If this project already exists in **Newo Builder**, skip this subsection and continue with the integration-specific settings below.

1. In **Newo Builder**, open the projects list and click **Create Project** (or **Create New Project** from the top-right menu).



Create New Project menu in Newo Builder

2. Fill **IDN** and **Title**. The exact names do not matter; use any clear names your team will recognize.
3. In **Registry**, choose the release channel:
 - **staging** — the newest module fixes appear here first. Use it when you need the latest fix, but expect possible unfinished changes.
 - **production** — the final stable version for live projects.
4. In **Module**, select the module for this integration.



Create Project form showing IDN, Title, Registry, and Module fields 5. Leave **Module version** on **Latest**

version unless support tells you to pin a specific version, then click **Create**.

3.1 Step 1 — Choose Authentication Method

Set `hubspot_auth_type` to one of:

- OAuth
- Token

3.2 OAuth Setup

If you use OAuth :

1. Open the authorization link from the `hubspot_oauth_code` attribute description in Newo.
2. Approve access in HubSpot.
3. Copy the returned OAuth code.
4. Paste it into `hubspot_oauth_code` .

During setup, the integration uses that code when creating the HubSpot connector and then also triggers the connector's `authorization_code` action.

3.3 Token Setup

1. Open HubSpot.
2. Go to **Settings > Integrations > Service Keys**.
3. Create a new key with the CRM / Meetings permissions your flow needs.
4. Copy the generated token.

3.4 Step 2 — Find the Meeting Link Slug

Example:

- full link: `https://meetings-eu1.hubspot.com/test-meetings-page`
- slug: `test-meetings-page`

Put only the last path segment into `hubspot_slug_name` .

3.5 Step 3 — Configure Attributes in Newo

Open **Newo -> Projects -> Builder / Attributes** and set:

Attribute	Required	Description
<code>hubspot_auth_type</code>	✓	OAuth OR Token
<code>hubspot_oauth_code</code>	Required for OAuth	One-time OAuth code copied from the HubSpot authorization page
<code>hubspot_service_key</code>	Required for Token	HubSpot Service Key / PAT
<code>hubspot_slug_name</code>	✓	HubSpot meeting link slug
<code>hubspot_base_api_url</code>	✗	Defaults to <code>https://api.hubapi.com</code>
<code>hubspot_timezone</code>	✗	Defaults to project business timezone
<code>hubspot_duration</code>	✗	Slot length in minutes, default 30
<code>hubspot_show_for_days</code>	✗	Search window in days, default 1
<code>hubspot_slots_available</code>	✗	Enable / disable availability flow
<code>hubspot_booking_available</code>	✗	Enable / disable booking flow

hubspot_cancelation_available	✗	Enable / disable cancellation flow
hubspot_sync_conversation	✗	Enable / disable outbound phone note sync
hubspot_setup_scenarios	✗	Auto-add default booking/cancellation scenarios to canvas

Hidden/system attributes are managed by setup automatically, for example:

- `hubspot_override_agent_attributes`
- `setup_persona_id`

3.6 Step 4 — Publish

On publish, the current setup logic:

- syncs project attributes and tool-gating attributes
- injects booking and availability payload schemas
- ensures both `api` and `http` connector entries exist for `hubspot_connector`
- creates / reuses the setup persona
- validates the HubSpot connection with: the lookup request

Operational note:

- `OAuth` requests use the `api` connector path
- `Token` requests use the `http` connector path with `Authorization: Bearer <hubspot_service_key>`

If `hubspot_setup_scenarios = True`, the integration also participates in workflow-builder canvas setup during canvas setup.

4. How It Works

4.4 Overall Sequence

5. Canvas Setup

`canvas_setup` exists and auto-runs on:

- `gm_workflow_builder_canvas_built`

Current behavior:

- `SetupLibrarySkill` seeds custom `hubspot_*` intents and scenarios into the library
- Publish All adds common appointment and cancellation items to the active canvas
- auto-setup is controlled by visible attribute: `hubspot_setup_scenarios`

How to test that everything works

6.1 Conversation Testing

Recommended live checks:

1. publish the integration
2. verify setup validation succeeds
3. ask for availability on a concrete date/time

4. book a new customer with email + phone
5. cancel by exact appointment datetime
6. test existing-client lookup by known phone number

6.2 Webhook Test Events

The integration also exposes test hooks for direct flow testing:

Event	Flow	Purpose
availability_wh	AvailabilityFlow	Trigger availability test payload
book_wh	BookingFlow	Trigger booking test payload
cancel_wh	CancellationFlow	Trigger cancellation test payload

6.3 What to Verify

- SetupFlow : token validation request succeeds
- Canvas setup: default items are added when `hubspot_setup_scenarios=True`
- AvailabilityFlow : returned slots match the current meeting-link behavior
- BookingFlow : contact search/create works and booking endpoint accepts the chosen time
- CancellationFlow : meeting search finds the correct meeting and delete succeeds
- ExistingClientFlow : ExistingCustomerInfo appears and future bookings are stored

6.4 Troubleshooting

If setup fails:

- if using OAuth , confirm `hubspot_oauth_code` was pasted correctly and connector authorization completed
- if using Token , confirm `hubspot_service_key` is valid
- confirm the OAuth app / token has the scopes needed by your booking flows
- confirm `hubspot_base_api_url` is correct

If availability works but booking fails:

- verify the chosen time is still valid for the meeting link
- verify timezone alignment between `hubspot_timezone` , user request, and HubSpot meeting settings
- note that the current implementation computes free slots from `allUsersBusyTimes` ; HubSpot may still reject a time if it does not fit the meeting link's live availability settings

If existing-client lookup does nothing:

- confirm the incoming phone number/email matches a HubSpot contact
- confirm the contact has future meetings associated to it

If outbound note sync does nothing:

- confirm `hubspot_sync_conversation=True`
- confirm the session channel is exactly `Outgoing Phone`

FAQ

Q: What authentication method does the current setup use?

A: The current setup supports both `OAuth` and `Token` through `hubspot_auth_type` .

Q: What does OAuth mode require from the user?

A: In the current implementation, the user opens the auth link from `hubspot_oauth_code` , approves HubSpot access, copies the returned code, and pastes it into `hubspot_oauth_code` .

Q: Does the current runtime use api or http routing?

A: `OAuth` uses the `api` path. `Token` uses the `http` path with a bearer token header.

Q: How are contacts matched during booking?

A: Booking first searches HubSpot contacts by **email**. If no contact is found, a new contact is created.

Q: How does cancellation identify the meeting to delete?

A: It converts the requested local datetime to UTC, searches meetings by exact `hs_meeting_start_time` , then deletes the found meeting ID.

Q: What customer context is injected into the prompt?

A: `ExistingClientFlow` injects `ExistingCustomerInfo` `role="context"` and stores future meetings in persona `bookings` .

Q: Why can availability say a slot is open but booking still fail?

A: The current availability logic derives free slots from `allUsersBusyTimes` . HubSpot booking still validates the submitted `startTime` against its own live meeting-link availability settings.

Q: Can I disable the default canvas scenarios?

A: Yes. Set `hubspot_setup_scenarios` to `False` .

Q: What is the meeting slug?

A: It is the last path segment of your HubSpot meeting link, stored in `hubspot_slug_name` .